



PRODUCT BROCHURE

Standard Cadaver Stretcher Lifter

FEATURES

- 100% stainless steel
- 24v. battery operated silent actuator (to lift cadaver up and down)
- Push button handset for ease of use
- IP rated for hosing down
- 150mm swivel rubber castors (2 x lockable)
- Polypropylene rollers for ease of use
- Corner bump rails
- Cassette style battery for easy recharging
- 38mm continuous handrail
- Mounted battery charger included

Bariatric Cadaver Stretcher Lifter

FEATURES

- All standard features
- Dual push button panel rocker switch & remote handset (motorised drive)
- Floor hugging drive wheel ideal for uneven surfaces
- Design rated for up to 1:7 slope upward and downward
- Auto stop function and emergency stop button

OPTIONS (NOT INCLUDED IN OFFER)

- Drop down sides
- Concealment cover

SPECIFICATIONS

Specifications	Standard Cadaver Stretcher Lifter	Bariatric Cadaver Stretcher Lifter
Model No.	CSL	CBSL
Dimensions (mm)		
Width	810	950
Length	2360	2470
Height	400 (min) 1700 (max)	450 (min) 1750 (max)
Capacity*	180kgs	350kg

*Safe working limit

Rago Refrigeration Pty Ltd, has been delivering refrigeration engineering of the highest quality refrigeration equipment for over 45 years.





Standard trolley against standard 3 berth fridge



Standard trolley with concealment cover



Bariatric trolley control panel



Standard trolley between max and min height